



## EU Material Safety Data Sheet

According to 91/155 EC & 93/112 EWG

Printing date 20.08.2003

Reviewed on 20.08.2003

### 1 Identification of substance:

· **Product details:**

· **Trade name:** Meguiar's G95-Hot Rims

· **Article number:** 18-27D

· **Application of the substance / the preparation:** All-purpose cleaner

· **Manufacturer/Supplier:**

Meguiar's USA  
17991 Mitchell South  
Irvine, CA 92614  
Tel: 949-752-8000  
Fax: 949-752-5784

Meguiar's Holland  
Laan der Verenigde Naties 40  
3314 DA Dordrecht  
Holland  
Tel.: 31-78-6210268  
Fax: 31-78-6166406  
E-mail: info@meguiarseurope.nl

Meguiar's France  
24rue Jacques Ibert  
92300 Levallois-Perret  
France  
Tel: 33-1-47595011  
Fax: 33-1-47595012

Meguiar's UK Ltd.  
14 Cottesbrooke Park  
Heartlands  
Daventry NN11 5YL  
Tel: 44-870-241-6696  
Fax: 44-1327-300-116

· **Informing department:** Product safety department

· **Emergency information:**

Emergency telephone Europe (Meguiar's): +31-78-6210268(Office hours)

Emergency telephone USA +1 703 527 3887 (24h)collect

### 2 Composition/Data on components:

· **Chemical characterization**

· **Description:** Cleaning agent

· **components:**

CAS: 85711-69-9 EINECS: 288-330-8	Sulfonsäure, C 13-17-sec-Alkan-, Natriumsalze	Xi; R 38-41	10-25%
CAS: 127087-87-0	Nonalphenol Polyethylene Glycol Ether	Xn; R 36/38-65	2.5-10%
CAS: 79-14-1 EINECS: 201-180-5	glycollic acid	C; R 22-34	2.5-10%

(Contd. on page 2)

## EU Material Safety Data Sheet



### According to 91/155 EC & 93/112 EWG

Printing date 20.08.2003

Reviewed on 20.08.2003

**Trade name: Meguiar's G95-Hot Rims**

(Contd. of page 1)

CAS: 144-62-7 EINECS: 205-634-3	oxalic acid	 Xn; R 21/22	2.5-10%
CAS: 5131-66-8 EINECS: 225-878-4	3-butoxypropan-2-ol	 Xi; R 36/38	< 2.5%

· **Additional information** For the wording of the listed risk phrases refer to section 16.

### 3 Hazards identification

· **Hazard designation:**



C Corrosive

· **Information pertaining to particular dangers for man and environment**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 34 Causes burns.

· **Classification system**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

### 4 First aid measures

· **General information** Instantly remove any clothing soiled by the product.

· **After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness bring patient into stable side position for transport.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

· **After swallowing**

Induce vomiting and call for medical help.

A person vomiting while lying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

### 5 Fire fighting measures

· **Suitable extinguishing agents**

CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.

· **Special hazards caused by the material, its products of combustion or resulting gases:**

Formation of toxic gases is possible during heating or in case of fire.

· **Protective equipment:**

Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.



## EU Material Safety Data Sheet According to 91/155 EC & 93/112 EWG

Printing date 20.08.2003

Reviewed on 20.08.2003

**Trade name: Meguiar's G95-Hot Rims**

(Contd. of page 2)

### 6 Accidental release measures

- **Person-related safety precautions:**
  - Ensure adequate ventilation
  - Avoid contact with the eyes and skin.
- **Measures for environmental protection:**
  - Dilute with plenty of water.
  - Do not allow to enter drainage system, surface or ground water.
- **Measures for cleaning/collecting:**
  - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  - Use neutralizing agent.
  - Ensure adequate ventilation.
  - Dispose of contaminated material as waste according to item 13.
- **Additional information:** See Section 7 for information on safe handling

### 7 Handling and storage

- **Handling**
- **Information for safe handling:**
  - Keep containers tightly sealed.
  - Ensure good ventilation/exhaustion at the workplace.
  - Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
  - With appropriate handling and storage no special measures necessarily
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:**
  - Store away from foodstuffs.
  - Do not store together with acids.
  - Store away from oxidizing agents.
- **Further information about storage conditions:**
  - Keep container tightly sealed.
  - Store in cool, dry conditions in well sealed containers.
  - Protect from frost.
  - Protect from heat and direct sunlight.

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**
  - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures**
  - The usual precautionary measures should be adhered to general rules for handling chemicals.
  - Keep away from foodstuffs, beverages and food.
  - Take off immediately all contaminated clothing
  - Wash hands during breaks and at the end of the work.
  - Avoid contact with the eyes and skin.

(Contd. on page 4)



## EU Material Safety Data Sheet

According to 91/155 EC & 93/112 EWG

Printing date 20.08.2003

Reviewed on 20.08.2003

**Trade name: Meguiar's G95-Hot Rims**

(Contd. of page 3)

- **Breathing equipment:** During good ventilation/exhaust or during brief, small load not necessarily
- **Protection of hands:**  
Neoprene gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**  
Safety glasses  
Tightly sealed safety glasses.  
Safety glasses recommended during refilling.

### 9 Physical and chemical properties:

#### · General Information

<b>Form:</b>	Fluid
<b>Colour:</b>	Colourless
<b>Odour:</b>	Characteristic

#### · Change in condition

<b>Melting point/Melting range:</b>	Not determined
<b>Boiling point/Boiling range:</b>	93°C

· **Flash point:** 93°C

· **Self-inflammability:** Product is not self igniting.

· **Danger of explosion:** Product is not explosive.

· **Vapour pressure at 20°C:** 23 hPa

· **Density at 20°C** 1 g/cm<sup>3</sup>

· **Solubility in / Miscibility with Water:** Fully miscible

· **pH-value at 20°C:** 1.5

· **Solvent content:**  
**Organic solvents:** 0.0 %

· **Solids content:** 8.0 %

GB

(Contd. on page 5)



## EU Material Safety Data Sheet

According to 91/155 EC & 93/112 EWG

Printing date 20.08.2003

Reviewed on 20.08.2003

**Trade name: Meguiar's G95-Hot Rims**

(Contd. of page 4)

### 10 Stability and reactivity

- **Thermal decomposition/ Conditions to be avoided:** Protect from heat and direct sunlight.
- **Materials to be avoided:**
  - Strong alkalis
  - Strong oxidants
  - Strong acids
- **Dangerous reactions** No dangerous reactions with intended storage and use.
- **Dangerous products of decomposition:** organic steams

### 11 Toxicological information

- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** no data available.
- **Primary irritant effect:**
  - **on the skin:** Caustic effect on skin and mucous membranes.
  - **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effect known.
- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### 12 Ecological information:

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### 13 Disposal considerations

- **Product:**
- **Recommendation**

Hand over to disposers of hazardous waste.

Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

GB

(Contd. on page 6)

## EU Material Safety Data Sheet

According to 91/155 EC & 93/112 EWG

Printing date 20.08.2003

Reviewed on 20.08.2003

**Trade name: Meguiar's G95-Hot Rims**

(Contd. of page 5)

### 14 Transport information

- Land transport ADR/RID (cross-border)
- ADR/RID-GGVS/E Class: -
- Maritime transport IMDG:
- IMDG Class: -
- Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR:
- ICAO/IATA Class: -

### 15 Regulatory information

- **Designation according to EC guidelines:**  
The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

- **Code letter and hazard designation of product:**



C Corrosive

- **Risk phrases:**  
34 Causes burns.
- **Safety phrases:**  
1/2 Keep locked up and out of the reach of children.  
23 Do not breathe fumes/aerosol.  
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
28 After contact with skin, wash immediately with plenty of water.  
36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
56 Dispose of this material and its container to hazardous or special waste collection point.  
64 If swallowed, rinse mouth with water (only if the person is conscious).
- **National regulations**
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations** BAGT Nr. 86691

### 16 Other information:

Information is based on our current knowledge but does not establish a promise of product characteristics and does not substantiate any contractual legal relationship.

- **Relevant R-phrases**  
21/22 Harmful in contact with skin and if swallowed.  
22 Harmful if swallowed.  
34 Causes burns.  
36/38 Irritating to eyes and skin.  
38 Irritating to skin.

(Contd. on page 7)



**EU Material Safety Data Sheet**  
**According to 91/155 EC & 93/112 EWG**

Printing date 20.08.2003

Reviewed on 20.08.2003

**Trade name: Meguiar's G95-Hot Rims**

(Contd. of page 6)

- 41 Risk of serious damage to eyes.
- 65 Harmful: may cause lung damage if swallowed.
- **Contact:** see page 1

GB